

Viewpoint Ref: VP1 Rosslare Strand

Easting (ITM):
Northing (ITM):
Direction of View:
Distance to Site:
Elevation:

710196 614657 130 ° 2.7 km 3.5 m Horizontal Field of View: 90° (cylindrical projection)
Principal Distance: 522 mm
Paper size: 841 x 297 mm
Correct printed image size: 820 x 251 mm
Enlargement Factor: 96%

Date and Time: 03/01/2025 14:21
Camera: Canon 5D Mark II Digital SLR
Lens: Canon Fixed 50mm Full Frame Sensor
Panoramic Head: Manfrotto Pano Head/Leveller

Camera Height:

14:21 Photography Softwar
II Digital SLR Panorama Stitching S
Frame Sensor Post-Production Soft
lead/Leveller Formatting Software

1.7m (AGL)


Photography Software: Ado
Panorama Stitching Software: Post-Production Software: Adobe Illustr

Adobe Lightroom
PTGui Pro
R
Adobe Photoshop
Adobe Illustrator/InDesign

Modelling Software: Rendering Software: GNSS Unit: Topographical Data: GPS Ref:

3DS Max 2023 Mental Ray/Corona Trimble Catalyst (GNSS) LiDAR/OSI Terrain Data Georeferenced/Surveyed DWGS





Viewpoint Ref: VP1 Rosslare Strand

Visualisation Type 4 - This 90° cylindrical projection panorama has been captured, prepared and presented in accordance with the guidance set out in the Landscape Institute Technical Guidance Note 06/19 for Type 4 Visualisations and the Scottish Natural Heritage 2017 guidance 'Visual Representation of Wind Farms'. This image has been presented in a 90° cylindrical format to aid visual comprehension of linear infrastructure occupying a wide FoV, which avoids splitting the view across numerous multiple images.

Easting (ITM): Northing (ITM): Direction of View: Distance to Site: Elevation:

614657 130 °

Horizontal Field of View: 90° (cylindrical projection) Principal Distance: 841 x 297 mm Paper size: 820 x 251 mm Correct printed image size:

Date and Time: Canon Fixed 50mm Full Frame Sensor Panoramic Head:

Camera Height:

96%


03/01/2025 14:21 Photography Software: Panorama Stitching Software: Canon 5D Mark II Digital SLR Post-Production Software: Manfrotto Pano Head/Leveller Formatting Software: 1.7m (AGL)

Adobe Lightroom PTGui Pro Adobe Photoshop Adobe Illustrator/InDesign

Modelling Software: Rendering Software: **GNSS Unit:** Topographical Data: GPS Ref:

3DS Max 2023 Mental Ray/Corona Trimble Catalyst (GNSS) LiDAR/OSI Terrain Data Georeferenced/Surveyed DWGS





Viewpoint Ref: VP1

Rosslare Strand Visualisation Type 4 - This 90° cylindrical projection panorama has been captured, prepared and presented in accordance with the guidance set out in the Landscape Institute Technical Guidance Note 06/19 for Type 4 Visualisations and the Scottish Natural Heritage

2017 guidance 'Visual Representation of Wind Farms'. This image has been presented in a 90° cylindrical format to aid visual comprehension of linear infrastructure occupying a wide FoV, which avoids splitting the view across numerous multiple images.

Easting (ITM): Northing (ITM): Direction of View: Distance to Site:

614657

Horizontal Field of View: 90° (cylindrical projection) Principal Distance: 820 x 251 mm


Date and Time: Camera Height:

03/01/2025 14:21 Canon 5D Mark II Digital SLR Canon Fixed 50mm Full Frame Sensor 1.7m (AGL)

Photography Software: Panorama Stitching Software:

Mental Ray/Corona Trimble Catalyst (GNSS) LiDAR/OSI Terrain Data Georeferenced/Surveyed DWGS





Rosslare Strand

Northing (ITM): Direction of View: Distance to Site:

614657

Horizontal Field of View: 90° (cylindrical projection) Principal Distance:

03/01/2025 14:21 Canon 5D Mark II Digital SLR Canon Fixed 50mm Full Frame Sensor

Camera Height:

1.7m (AGL)

Photography Software: Panorama Stitching Software:

LiDAR/OSI Terrain Data

